

Universell utforming – kontroll og utbedring av tidmodell.no/org (WCAG 2.1 nivå AA)

Når testet: 29.–30. juli 2025

Hvordan vi testet:

Hel-kryp (“full crawl”) med DomainAccessibilityAudit (axe-core): Et lite dataprogram gikk gjennom alle 27 sidene vi fant på nettstedet – og målte dem mot WCAG 2.1 nivå AA-reglene. Her startet vi med rundt 300 feil, og avsluttet først da vi telte 0 feil.

Deretter benyttet vi Accessibility Insights for Web i nettleseren og utførte hurtigsjekk (FastPass) på alle 6 sidemaler for å dobbeltsjekke manuelt. Også her stoppet vi først på 0 feil.

Etter hurtigsjekk av sidemaler valgte vi ut den mest kompliserte siden (forsiden) og gjorde en grundig gjennomgang (Assessment), også med Accessibility Insights for Web. Den grundige gjennomgangen dekker resten av WCAG 2.1 nivå AA. Også her ser vi nå 0 feil på samtlige 150+ testpunkter.

Kort manuell test med skjermleser og tastatur – overskriftsrekkefølge, landemerker og fokus fungerte fint.

Konklusjon: Nettstedet oppfyller nå alle krav i WCAG 2.1 nivå AA. Neste komplette sjekk anbefales ved større redesign eller senest juli 2026.

Har du problemer med tilgjengelighet på dette nettstedet?

Send e-post til support@vilmar.no

tidmodell.no

AUDIT PARAMETERS

First URL	https://tidmodell.no
Standard	WCAG 2.1 Level AA
Check subdomains	No
Maximum depth	10
Maximum number of pages checked per domain	0
Use site maps	Yes
Include only paths matching the regular expression	
Web browser	firefox
Additional delay to let dynamic pages load (ms)	3000
Date started	7/29/2025, 4:40:55 PM
Date ended	7/29/2025, 4:42:50 PM
Audit completed	Yes
Number of checked URLs	27
Number of accessibility violations	0
Number of scan errors	0

VIOLATIONS

description	impact	total
None		

SCANNED PAGES

Click on a URL to get a full report for that page.

URL	Violations
https://tidmodell.no	0
https://tidmodell.no/	0
https://tidmodell.no/kurs-og-konferanser/	0
https://tidmodell.no/kurs-og-konferanser/basiskurs-tid/	0
https://tidmodell.no/kurs-og-konferanser/erfaringsseminar-for-kursholdere-i-tid-modellen-14-november-2024/	0
https://tidmodell.no/kurs-og-konferanser/konferansen-refleksjon-15-16-juni-2017/	0
https://tidmodell.no/kurs-og-konferanser/kursholderkurs/	0
https://tidmodell.no/kurs-og-konferanser/tid-for-refleksjon-om-utfordrende-adferd/	0
https://tidmodell.no/login/	0
https://tidmodell.no/modellen/	0
https://tidmodell.no/modellen/nyttige-lenker/	0
https://tidmodell.no/modellen/refleksjons-og-veiledningsfasen/	0
https://tidmodell.no/modellen/refleksjons-og-veiledningsfasen/sokratisk-dialog-i-refleksjonsmotet/	0
https://tidmodell.no/modellen/refleksjons-og-veiledningsfasen/tids-tips-til-refleksjons-og-veiledningsmotet/	0
https://tidmodell.no/modellen/registerings-og-utredningsfasen/	0
https://tidmodell.no/modellen/teoretiske-betraktninger/	0
https://tidmodell.no/modellen/tiltaks-og-evalueringsfasen/	0
https://tidmodell.no/om-oss/	0
https://tidmodell.no/registrer/	0

URL	Violations
https://tidmodell.no/studien/	0
https://tidmodell.no/studien/datasett-pasient-studien/	0
https://tidmodell.no/studien/datasett-personal-studien/	0
https://tidmodell.no/studien/protokollartikkel/	0
https://tidmodell.no/studien/tid-i-hjemmetjenesten-practic/	0
https://tidmodell.no/time-english-version/	0
https://tidmodell.no/wp-login.php	0
https://tidmodell.no/wp-login.php?action=lostpassword	0

Assessment report

This report shows the overall accessibility of the website or web app through a combination of automated and manual tests that cover all the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100%

○ 0%

✗ 0%

Test details

Automated checks	✓ 60	Images	✓ ✓ ✓ ✓
Keyboard	✓ ✓ ✓ ✓ ✓ ✓	Language	✓ ✓ ✓
Focus	✓ ✓ ✓ ✓ ✓ ✓	Sensory	✓ ✓ ✓ ✓
Landmarks	✓ ✓ ✓	Adaptable content	✓ ✓ ✓ ✓ ✓ ✓ ✓
Headings	✓ ✓ ✓	Audio / video	✓ ✓
Repetitive content	✓ ✓ ✓ ✓	Multimedia	✓ ✓ ✓ ✓ ✓
Links	✓ ✓ ✓	Live multimedia	✓
Native widgets	✓ ✓ ✓ ✓ ✓	Sequence	✓ ✓ ✓
Custom widgets	✓ ✓ ✓ ✓ ✓ ✓	Semantics	✓ 8
Timed events	✓ ✓ ✓ ✓	Pointer / motion	✓ ✓ ✓ ✓ ✓
Errors / status	✓ ✓ ✓ ✓	Contrast	✓ ✓ ✓
Page navigation	✓ ✓ ✓	Cognitive	✓ ✓
Parsing	✓		

Scan details

 <https://tidmodell.no/>



Failed tests 0

Incomplete tests 0

Passed tests 155

Automated checks 60

area-alt: Active <area> elements must have alternative text - [WCAG 2.4.4](#), [WCAG 4.1.2](#)  0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - [WCAG 4.1.2](#)  5

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - [WCAG 1.3.1](#), [WCAG 4.1.2](#)  8

Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - [WCAG 4.1.2](#)  0

No matching instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - [WCAG 4.1.2](#)

 5

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - [WCAG 4.1.2](#)  0

No matching instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - [WCAG 1.3.1](#), [WCAG 4.1.2](#)  1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - [WCAG 4.1.2](#)  5

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - [WCAG 4.1.2](#)  0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - [WCAG 1.1.1](#)  0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - [WCAG 1.1.1](#)  0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - [WCAG 4.1.2](#)  5

No failing instances

aria-required-attr: Required ARIA attributes must be provided - [WCAG 4.1.2](#)  0

No matching instances

aria-required-children: Certain ARIA roles must contain particular children - [WCAG 1.3.1](#)  0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - [WCAG 1.3.1](#)  0

No matching instances

aria-roles: ARIA roles used must conform to valid values - [WCAG 4.1.2](#)  0

No matching instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - [WCAG 4.1.2](#)  0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - [WCAG 4.1.2](#)  0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - [WCAG 4.1.2](#)  2

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - [WCAG 4.1.2](#)  5

No failing instances

audio-caption: <audio> elements must have a captions track - [WCAG 1.2.1](#)  0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - [WCAG 1.3.5](#)  0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - [WCAG 1.4.12](#)  12 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - [WCAG 2.2.2](#)  0

No matching instances

button-name: Buttons must have discernible text - [WCAG 4.1.2](#)  0

No matching instances

bypass: Page must have means to bypass repeated blocks - [WCAG 2.4.1](#)  1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - [WCAG 1.4.3](#)  10

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - [WCAG 1.3.1](#)  0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - [WCAG 1.3.1](#)  0

No matching instances

document-title: Documents must have <title> element to aid in navigation - [WCAG 2.4.2](#)  1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - [WCAG 4.1.2](#)  12

No failing instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - [WCAG 2.1.1](#)  0

No matching instances

frame-title: Frames must have an accessible name - [WCAG 4.1.2](#)  0

No matching instances

html-has-lang: <html> element must have a lang attribute - [WCAG 3.1.1](#)  1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - [WCAG 3.1.1](#)  1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - [WCAG 3.1.1](#)  0

No matching instances

image-alt: Images must have alternative text - [WCAG 1.1.1](#)  1

No failing instances

input-button-name: Input buttons must have discernible text - [WCAG 4.1.2](#)  0

No matching instances

input-image-alt: Image buttons must have alternative text - [WCAG 1.1.1](#), [WCAG 4.1.2](#)  0

No matching instances

label: Form elements must have labels - [WCAG 4.1.2](#)  0

No matching instances

link-in-text-block: Links must be distinguishable without relying on color - [WCAG 1.4.1](#)  0

No matching instances

link-name: Links must have discernible text - [WCAG 2.4.4](#), [WCAG 4.1.2](#)  14

No failing instances

list: and must only directly contain , <script> or <template> elements - [WCAG 1.3.1](#)  1

No failing instances

listitem: elements must be contained in a or - [WCAG 1.3.1](#)  6

No failing instances

marquee: <marquee> elements are deprecated and must not be used - [WCAG 2.2.2](#)  0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - [WCAG 2.2.1](#)  0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - [WCAG 1.4.4](#)  1

No failing instances

nested-interactive: Interactive controls must not be nested - [WCAG 4.1.2](#)  1

No failing instances

object-alt: <object> elements must have alternative text - [WCAG 1.1.1](#)  0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - [WCAG 1.3.1](#)  0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - [WCAG 1.1.1](#)  0

No matching instances

scrollable-region-focusable: Scrollable region must have keyboard access - [WCAG 2.1.1](#)  0

No matching instances

select-name: Select element must have an accessible name - [WCAG 4.1.2](#)  0

No matching instances

server-side-image-map: Server-side image maps must not be used - [WCAG 2.1.1](#)  0

No matching instances

summary-name: Summary elements must have discernible text - [WCAG 4.1.2](#)  0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - [WCAG 1.1.1](#)  0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - [WCAG 1.3.1](#)  0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - [WCAG 1.3.1](#)  0

No matching instances

valid-lang: lang attribute must have a valid value - [WCAG 3.1.2](#)  0

No matching instances

video-caption: <video> elements must have captions - [WCAG 1.2.2](#)  0

No matching instances

Keyboard 6

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - [WCAG 2.1.1](#)  0

No matching instances

No keyboard traps: Users must be able to *navigate away* from all components using a keyboard - [WCAG 2.1.2](#)  0

No matching instances

On focus: Navigating to a component must not trigger any unexpected change of context - [WCAG 3.2.1](#)  0

No matching instances

On input: Changing a component's settings must not trigger any unexpected change of context - [WCAG 3.2.2](#)  0

No matching instances

No keystroke timings: Components must not require specific timings for individual keystrokes - [WCAG 2.1.1](#)  0

No matching instances

Character key shortcuts: Users must be able to turn off or remap character key shortcuts - [WCAG 2.1.4](#)  0

New for WCAG 2.1

No matching instances

Focus 6

Visible focus: Components must provide a visible indication when they have the input focus - [WCAG 2.4.7](#)  0

No matching instances

Revealing content: Activating a component that reveals hidden content must move input focus into the revealed content - [WCAG 2.4.3](#)  0

No matching instances

Modal dialogs: Users must not be able to Tab away from a modal dialog without explicitly dismissing it - [WCAG 2.4.3](#)  0

No matching instances

Closing content: Closing revealed content must return input focus to the component that revealed it - [WCAG 2.4.3](#)  0

No matching instances

Focus order: Components must receive focus in an order that preserves meaning and operability - [WCAG 2.4.3](#)  0

No matching instances

Focus not obscured: For elements receiving keyboard focus, its focus indicator must be at least partially visible and not obscured by author-created content which overlays it, unless the focused element can be revealed without requiring the user to advance focus in the UI - [WCAG 2.4.11](#)  0 New for WCAG 2.2

No matching instances

Landmarks 3

Landmark roles: A landmark region must have the role that best describes its content - [WCAG 1.3.1](#)  4

Path header

Snippet <header data-elementor-type="header" data-elementor-id="1275" class="elementor elementor-1275 elementor-location-header" data-elementor-post-type="elementor_library">

Role banner

Path .elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline

Snippet	<nav aria-label="Meny" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-underline e--animation-fade">
Role	navigation: meny

Path	#content
Snippet	<main id="content" class="site-main post-1277 page type-page status-publish hentry">
Role	main

Path	#site-footer
Snippet	<footer id="site-footer" class="site-footer dynamic-footer "><div class="footer-inner"><div class="site-branding show-logo"><p class="site-description show">Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens</p></div></div></footer>
Role	contentinfo

Primary content: The **main** landmark must contain all of the page's primary content - [WCAG 1.3.1](#), [WCAG 2.4.1](#)  1

No repeating content: The **main** landmark must not contain any blocks of content that repeat across pages - [WCAG 1.3.1](#), [WCAG 2.4.1](#)  1

Headings 3

Heading function: An element *coded* as a heading must *function* as a heading - [WCAG 1.3.1](#), [WCAG 2.4.6](#)  3

Path	h1
Snippet	<h1 class="elementor-heading-title elementor-size-default">Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens</h1>
Heading text	Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens

Path	.elementor-element-746a8ae > h2
Snippet	<h2 class="elementor-heading-title elementor-size-default">Kursholder?</h2>
Heading text	Kursholder?

Path	.elementor-element-de8123a > h2
Snippet	<h2 class="elementor-heading-title elementor-size-default">Problemer med å komme inn?</h2>
Heading text	Problemer med å komme inn?

No missing headings: Text that *looks like* a heading must be *coded* as a heading - [WCAG 1.3.1](#), [WCAG 2.4.6](#)  1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - [WCAG 1.3.1](#)  3

Path	h1
------	----

Snippet	<h1 class="elementor-heading-title elementor-size-default">Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens</h1>
Heading text	Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens
Path	.elementor-element-746a8ae > h2
Snippet	<h2 class="elementor-heading-title elementor-size-default">Kursholder?</h2>
Heading text	Kursholder?
Path	.elementor-element-de8123a > h2
Snippet	<h2 class="elementor-heading-title elementor-size-default">Problemer med å komme inn?</h2>
Heading text	Problemer med å komme inn?

Repetitive content 4

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - [WCAG 2.4.1](#)  0

No matching instances

Consistent navigation: Navigational mechanisms that appear on multiple pages must be presented in the same relative order - [WCAG 3.2.3](#)  0

No matching instances

Consistent identification: Functional components that appear on multiple pages must be identified consistently - [WCAG 3.2.4](#)  0

No matching instances

Consistent help: Ensure help – or mechanism(s) to request help – are consistently located in the same relative location across a [set of web pages/screens](#) - [WCAG 3.2.6](#)  0 New for WCAG 2.2

No matching instances

Links 3

Link function: If an anchor element functions as a custom widget, it must have the appropriate ARIA widget role - [WCAG 4.1.2](#)  4

Path

- ul[data-smartmenus-id="17538032294380818"] > .menu-item-home.current-menu-item.page_item > .elementor-item-active[aria-current="page"] [href\$="/tidmodell.no/"]

Snippet	Hjem
Accessible name	Hjem
URL	https://tidmodell.no/
Role	(no value)
Tab Index	(no value)
Aria attributes:	
aria-current	page

Path	#sm-17538032294380818-1
Snippet	Forskning om TID<i class="fas fa-caret-down"></i>
Accessible name	Forskning om TID
URL	https://tidmodell.no/studien/
Role	(no value)
Tab Index	(no value)
Aria attributes:	
aria-haspopup	true
aria-controls	sm-17538032294380818-2
aria-expanded	false

Path	#sm-17538032294380818-3
Snippet	Modellen<i class="fas fa-caret-down"></i>
Accessible name	Modellen
URL	https://tidmodell.no/modellen/
Role	(no value)
Tab Index	(no value)
Aria attributes:	
aria-haspopup	true
aria-controls	sm-17538032294380818-4
aria-expanded	false

Path	#sm-17538032294380818-5
Snippet	Oppl�ring og kurs<i class="fas fa-caret-down"></i>
Accessible name	Oppl�ring og kurs
URL	https://tidmodell.no/kurs-og-konferanser/
Role	(no value)
Tab Index	(no value)

Aria attributes:

aria-haspopup	true
aria-controls	sm-17538032294380818-6
aria-expanded	false

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - [WCAG 2.4.4](#)  14

Path	ul[data-smartmenus-id="17538032294380818"] > .menu-item-home.current-menu-item.page_item > .elementor-item-active[aria-current="page"][href\$="tidmodell.no/"]
Snippet	Hjem
Accessible name	Hjem
Accessible description	(no value)
URL	https://tidmodell.no/

Path	#sm-17538032294380818-1
Snippet	Forskning om TID<i class="fas fa-caret-down"></i>
Accessible name	Forskning om TID
Accessible description	(no value)
URL	https://tidmodell.no/studien/

Path	#sm-17538032294380818-3
Snippet	Modellen<i class="fas fa-caret-down"></i>
Accessible name	Modellen
Accessible description	(no value)
URL	https://tidmodell.no/modellen/

Path	#sm-17538032294380818-5
Snippet	Oppl�ring og kurs<i class="fas fa-caret-down"></i>
Accessible name	Oppl�ring og kurs
Accessible description	(no value)
URL	https://tidmodell.no/kurs-og-konferanser/

Path	.skip-link
Snippet	Skip to content
Accessible name	Skip to content

Accessible description	(no value)
URL	#content
Path	.elementor-sticky--active > .elementor-element-6faa4a4e.e-child[data-id="6faa4a4e"] > .elementor-element-39a217d6.elementor-widget-theme-site-logo.elementor-widget-image > a[href\$="tidmodell.no"]
Snippet	
Accessible name	tid-logo
Accessible description	(no value)
URL	https://tidmodell.no
Path	ul[data-smartmenus-id="17538032294380818"] > .menu-item-465 > .elementor-item[href\$="om-oss/"]
Snippet	Om oss
Accessible name	Om oss
Accessible description	(no value)
URL	https://tidmodell.no/om-oss/
Path	ul[data-smartmenus-id="17538032294380818"] > .menu-item-1157 > .elementor-item
Snippet	TIME (English Version)
Accessible name	TIME (English Version)
Accessible description	(no value)
URL	https://tidmodell.no/time-english-version/
Path	a[href\$="registrer"]
Snippet	
Accessible name	Opprett bruker
Accessible description	(no value)
URL	/registrer
Path	a[href\$="login"]
Snippet	
Accessible name	Logg inn
Accessible description	(no value)
URL	/login
Path	.elementor-element-8d97d7e > .elementor-button.elementor-button-link.elementor-size-md
Snippet	<a class="elementor-button elementor-button-link elementor-size-md" href="mailto:?subject=Anmodning%20om%20%20whiteliste%20domenet%20tidmodell.org&body=Hei,%0A%0AJeg%20er%20en%20bruker%20av%20nettsiden%20tidmodell.org,%20et%20nettsted%20som%20fungerer%20som%20en%20verdifull%20ressurs%20for%20fagfolk%20innen%20helse-%20og%20sosialtjenester.%20Den%20tilbyr%20spesialisert%20fagkunnskap%20og%20holder%20kurs%20for%20%20fremme%20tverrfaglig%20samarbeid%20og%20intervensjon.%20Dette%20nettst

edet%20er%20en%20viktig%20lærings-%20og%20samarbeidsplattform%20som%20hjelper%20oss%20å%20forbedre%20kvaliteten%20på%20vårt%20arbeid.%0A%0AJeg%20har%20oppdage t%20at%20jeg%20ikke%20kan%20få%20tilgang%20til%20denne%20nettsiden%20fra%20sykeh usnettverket.%20Jeg%20forstår%20at%20mange%20organisasjoner,%20inkludert%20vårt%20s ykehus,%20benytter%20seg%20av%20metoder%20som%20%22blacklisting%22%20og%20%2 2whitelisting%22%20for%20å%20opprettholde%20et%20sikkert%20nettverk.%20I%20vårt%20ti lfelle,%20ser%20det%20ut%20til%20at%20vi%20bruker%20en%20%22whitelisting%22-metod e,%20som%20betyr%20at%20kun%20spesifikt%20tillatte%20domener%20er%20tilgjengelige.% 0A%0AMed%20dette%20i%20mente,%20vil%20jeg%20be%20om%20at%20tidmodell.org%20bli r%20lagt%20til%20vår%20whitelist,%20slik%20at%20jeg%20og%20mine%20kolleger%20kan% 20få%20tilgang%20til%20denne%20ressursen%20fra%20sykehusnettverket.%0A%0AHvis%20d ere%20har%20spørsmål%20eller%20trenger%20mer%20informasjon%20om%20nettstedet,%20 ta%20kontakt%20med%20vår%20partner%20som%20står%20for%20leveransen%20av%20nett siden%20og%20den%20tekniske%20plattformen,%20på%20e-postadressen%20support@vange nplotz.no%0A%0AVennligst%20gi%20beskjed%20om%20det%20er%20nødvendig%20med%20y tterligere%20informasjon%20for%20å%20behandle%20denne%20forespørselen.%0A%0ATakk% 20for%20din%20oppmerksomhet%20rundt%20dette.%0A%0AMed%20vennlig%20hilsen,%20% 0A%0A%5BDitt%20navn%5D" style="text-decoration: underline;">

Accessible name	Kopier standard e-post
Accessible description	(no value)
URL	mailto:?subject=Anmodning%20om%20å%20whiteliste%20domenet%20tidmodell.org&body=He i,%0A%0AJeg%20er%20en%20bruker%20av%20nettsiden%20tidmodell.org,%20et%20nettste d%20som%20fungerer%20som%20en%20verdifull%20ressurs%20for%20fagfolk%20innen%20h else-%20og%20sosialtjenester.%20Den%20tilbyr%20spesialisert%20fagkunnskap%20og%20hol der%20kurs%20for%20å%20fremme%20verrfaglig%20samarbeid%20og%20intervensjon.%20D ette%20nettstedet%20er%20en%20viktig%20lærings-%20og%20samarbeidsplattform%20so m%20hjelper%20oss%20å%20forbedre%20kvaliteten%20på%20vårt%20arbeid.%0A%0AJeg%2 0har%20oppdaget%20at%20jeg%20ikke%20kan%20få%20tilgang%20til%20denne%20nettside n%20fra%20sykehusnettverket.%20Jeg%20forstår%20at%20mange%20organisasjoner,%20inklu dert%20vårt%20sykehus,%20benytter%20seg%20av%20metoder%20som%20%22blacklisting% 22%20og%20%22whitelisting%22%20for%20å%20opprettholde%20et%20sikkert%20nettverk.% 20I%20vårt%20tilfelle,%20ser%20det%20ut%20til%20at%20vi%20bruker%20en%20%22whiteli sting%22-metode,%20som%20betyr%20at%20kun%20spesifikt%20tillatte%20domener%20er% 20tilgjengelige.%0A%0AMed%20dette%20i%20mente,%20vil%20jeg%20be%20om%20at%20tid modell.org%20blir%20lagt%20til%20vår%20whitelist,%20slik%20at%20jeg%20og%20mine%20k olleger%20kan%20få%20tilgang%20til%20denne%20ressursen%20fra%20sykehusnettverket.%0 A%0AHvis%20dere%20har%20spørsmål%20eller%20trenger%20mer%20informasjon%20om%2 0nettstedet,%20ta%20kontakt%20med%20vår%20partner%20som%20står%20for%20leveranse n%20av%20nettsiden%20og%20den%20tekniske%20plattformen,%20på%20e-postadressen%2 0support@vangenplotz.no%0A%0AVennligst%20gi%20beskjed%20om%20det%20er%20nødven dig%20med%20ytterligere%20informasjon%20for%20å%20behandle%20denne%20forespørsele n.%0A%0ATakk%20for%20din%20oppmerksomhet%20rundt%20dette.%0A%0AMed%20vennli g%20hilsen,%20%0A%0A%5BDitt%20navn%5D

Path	.elementor-element-ea1593c > p > a
Snippet	Personvernerklæring
Accessible name	Personvernerklæring
Accessible description	(no value)
URL	https://s18162.pcdn.co/wp-content/uploads/2024/12/Personvernerklaering-for-tidmodell.pdf

Path	.elementor-element-d019fcc > p > a
Snippet	Informasjonskapsler
Accessible name	Informasjonskapsler
Accessible description	(no value)
URL	https://s18162.pcdn.co/wp-content/uploads/2024/12/Informasjonskapsler.docx

Path	.elementor-element-e046cfa > p > a
Snippet	Om nettstedet
Accessible name	Om nettstedet
Accessible description	(no value)
URL	https://s18162.pcdn.co/wp-content/uploads/2024/12/Om-nettstedet.docx

Label in name: A link's accessible name must contain its visible text label - [WCAG 2.5.3](#)  0 New for WCAG 2.1

No matching instances

Native widgets 5

Widget function: If a native widget *functions* as a custom widget, it must have the appropriate ARIA widget role - [WCAG 4.1.2](#)  0

No matching instances

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - [WCAG 1.3.1](#), [WCAG 2.5.3](#)  0 New for WCAG 2.1

No matching instances

Expected input: A native widget must have a label and/or instructions that identify the expected input - [WCAG 3.3.2](#)  0

No matching instances

Cues: If a native widget adopts certain interactive states, it must provide appropriate cues - [WCAG 1.3.1](#), [WCAG 4.1.2](#)  0

No matching instances

Autocomplete: Text fields that serve certain purposes must have the correct HTML5 **autocomplete** attribute - [WCAG 1.3.5](#)  0 New for WCAG 2.1

No matching instances

Custom widgets 6

Design pattern: A custom widget must have the appropriate ARIA widget role for its design pattern - [WCAG 4.1.2](#)  0

No matching instances

Instructions: If a custom widget has a visible label or instructions, they must be programmatically determinable - [WCAG 1.3.1](#), [WCAG 2.5.3](#)  0 New for WCAG 2.1

No matching instances

Expected input: A custom widget must have a label and/or instructions that identify the expected input - [WCAG 3.3.2](#)  0

No matching instances

Role, state, property: A custom widget must support the ARIA roles, states, and properties specified by its design pattern - [WCAG 4.1.2](#)  0

No matching instances

Cues: If a custom widget adopts certain interactive states, it must communicate those states programmatically - [WCAG 1.3.1](#), [WCAG 4.1.2](#)  0

No matching instances

Keyboard interaction: A custom widget must support the keyboard interaction specified by its design pattern - [WCAG 2.1.1](#)  0

No matching instances

Timed events 4

Time limits: If a time limit is set by the content, the user must be able to turn off, adjust, or extend the time limit - [WCAG 2.2.1](#)  0

No matching instances

Moving content: If content moves, blinks, or scrolls automatically for more than five seconds, users must be able to pause, stop, or hide it - [WCAG 2.2.2](#)  0

No matching instances

Auto-updating content: If content updates automatically, users must be able to pause, stop, hide, or control frequency of the updates - [WCAG 2.2.2](#)  0

No matching instances

Audio control: If audio content plays automatically for longer than three seconds, users must be able to pause or mute it - [WCAG 1.4.2](#)  0

No matching instances

Errors / status 4

Error identification: If an input error is automatically detected, the item in error must be identified, and the error described, in text - [WCAG 3.3.1](#)  0

No matching instances

Error suggestion: If an input error is automatically detected, guidance for correcting the error must be provided - [WCAG 3.3.3](#)  0

No matching instances

Error prevention: If submitting data might have serious consequences, users must be able to correct the data input before finalizing a submission - [WCAG 3.3.4](#)  0

No matching instances

Status messages: Status messages must be programmatically determinable without receiving focus - [WCAG 4.1.3](#)  0 New for WCAG 2.1

No matching instances

Page navigation 3

Page title: A web page must have a title that describes its topic or purpose - [WCAG 2.4.2](#)  1

Path	html
Snippet	<html lang="nb-NO" class=" soogw idc0_350">
Page title	TID-modell · En tverrfaglig utredning– og refleksjonsmodell

Frame title: A frame or iframe must have a title that describes its content - [WCAG 4.1.2](#) ✓ 0

No matching instances

Multiple ways: Users must have multiple ways to navigate to a page - [WCAG 2.4.5](#) ✓ 0

No matching instances

Parsing ✓ 1

Parsing: Elements must have complete start and end tags, must not contain duplicate attributes, and must be nested according to their specifications - [WCAG 4.1.1](#) ✓ 0 Deprecated for WCAG 2.2

No matching instances

Images ✓ 4

Image function: Every image must be coded as either meaningful or decorative - [WCAG 1.1.1](#) ✓ 10

Path	.elementor-sticky--active > .elementor-element-6faa4a4e.e-child[data-id="6faa4a4e"] > .elementor-element-39a217d6.elementor-widget-theme-site-logo.elementor-widget-image > a[href\$="tid-modell.no"] > img
Snippet	
Image type	
Coded as	Meaningful
ARIA role	(no value)
Accessible name	tid-logo

Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538032294380818"] > .menu-item-446.menu-item-has-children > .has-submenu[aria-controls="sm-17538032294380818-2"][href\$="studien/"] > .sub-arrow > i
Snippet	<i class="fas fa-caret-down"></i>
Image type	icon fonts (empty <i> elements)
Coded as	Decorative

ARIA role	(no value)
Accessible name	(no value)
Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538032294380818"] > .menu-item-445.menu-item-has-children > .has-submenu[aria-controls="sm-17538032294380818-4"][href\$="modellen/"] > .sub-arrow > i
Snippet	<i class="fas fa-caret-down"></i>
Image type	icon fonts (empty <i> elements)
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)
Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538032294380818"] > .menu-item-444.menu-item-has-children > .has-submenu[aria-controls="sm-17538032294380818-6"][aria-haspopup="true"] > .sub-arrow > i
Snippet	<i class="fas fa-caret-down"></i>
Image type	icon fonts (empty <i> elements)
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)
Path	.elementor-element-11af5c30
Snippet	<div class="elementor-element elementor-element-11af5c30 e-con-full e-flex e-con e-parent e-lazyloaded" data-id="11af5c30" data-element_type="container" data-settings="{"background_image":"gradient"}">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens TID er spesielt utviklet for å utrede, tolke og behandle nevropsykiatriske symptomer ved demens og andre komplekse psykiske lidelser. Kursholder? Logg inn eller opprett din bruker og få tilgang til kursmaterieil m.m. Opprett bruker Logg inn Problemer med å komme inn? Mange institusjoner bruker såkalt «whitelisting» for å beskytte mot trusler på nett. Dette betyr at kun tillatte domener er tilgjengelige fra nettverket. Hvis du har problemer med å få tilgang til tidmodell.org fra ditt nettverk, kan du be IT-avdelingen om å «whiteliste» nettstedet. Vi har laget en standard e-post som du kan bruke som mal for denne forespørselen: Kopier standard e-post
Path	svg[viewBox="0 0 77 95"]
Snippet	<svg xmlns="https://www.w3.org/2000/svg" width="77" height="95" viewBox="0 0 77 95" fill="none">
Coded as	Decorative
ARIA role	(no value)

Accessible name	(no value)
Path	a[href\$="registrer"] > .elementor-button-content-wrapper > .elementor-button-icon > svg[data-name="Layer 1"][width="24.5"][height="22.0919"]
Snippet	<svg xmlns="https://www.w3.org/2000/svg" data-name="Layer 1" width="24.5" height="22.0919" viewBox="0 0 24.5 22.0919">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)
Path	a[href\$="login"] > .elementor-button-content-wrapper > .elementor-button-icon > svg[data-name="Layer 1"][width="24.5"][height="22.0919"]
Snippet	<svg xmlns="https://www.w3.org/2000/svg" data-name="Layer 1" width="24.5" height="22.0919" viewBox="0 0 24.5 22.0919">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)
Path	.elementor-element-04c3fc7
Snippet	<div class="elementor-element elementor-element-04c3fc7 e-con-full e-flex e-con e-child" data-id="04c3fc7" data-element_type="container" data-settings="{"background_background":"classic"}"></div>
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)
Path	.elementor-element-8d97d7e > .elementor-button.elementor-button-link.elementor-size-md > .elementor-button-content-wrapper > .elementor-button-icon > svg[data-name="Layer 1"][width="24.5"][height="22.0919"]
Snippet	<svg xmlns="https://www.w3.org/2000/svg" data-name="Layer 1" width="24.5" height="22.0919" viewBox="0 0 24.5 22.0919">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Text alternative: A meaningful image must have a text alternative that serves the equivalent purpose - [WCAG 1.1.1](#) 

Path	.elementor-sticky--active > .elementor-element-6faa4a4e.e-child[data-id="6faa4a4e"] > .elementor-element-39a217d6.elementor-widget-theme-site-logo.elementor-widget-image > a[href\$="tidmodell.no"] > img
Snippet	
Image type	

Accessible name tid-logo
Accessible description (no value)

Images of text: Images of text are allowed only where a specific appearance is required (e.g., logotypes) - [WCAG 1.4.5](#)  1

Path	.elementor-sticky--active > .elementor-element-6faa4a4e.e-child[data-id="6faa4a4e"] > .elementor-element-39a217d6.elementor-widget-theme-site-logo.elementor-widget-image > a[href\$="tid-modell.no"] > img
Snippet	
Image type	
ARIA role	(no value)
Accessible name	tid-logo

CAPTCHAs: If a CAPTCHA is used, alternative methods must be provided for both users without vision and users without hearing - [WCAG 1.1.1](#)  0

No matching instances

Language 3

Language of page: A page must have the correct default language - [WCAG 3.1.1](#)  0

No matching instances

Language of parts: If the language of a passage differs from the default language of the page, the passage must have its own language attribute - [WCAG 3.1.2](#)  0

No matching instances

Text direction: If a page or a passage uses a script that is read right-to-left, it must have the correct text direction - [WCAG 1.3.2](#)  0

No matching instances

Sensory 4

Color as meaning: Color must not be used as the only visual means for conveying meaning - [WCAG 1.4.1](#)  1

Instructions: Instructions must not rely solely on color or other sensory characteristics - [WCAG 1.3.3](#)  0

No matching instances

Auditory cues: Auditory cues must be accompanied by visual cues - [WCAG 1.1.1](#)  0

No matching instances

Flashing: Web pages must not have content that flashes more than three times per second - [WCAG 2.3.1](#)  0

No matching instances

Adaptable content 7

High contrast mode: Websites and web apps must honor high contrast appearance settings and functions - [SECTION 508 - 502.2.2](#)  0

No matching instances

Resize text: Users must be able to resize text, without using assistive technology, up to 200% with no loss of content or functionality - [WCAG 1.4.4](#)  0

No matching instances

Contrast: Text elements must have sufficient contrast - [WCAG 1.4.3](#)  11

Path	h1
Snippet	<h1 class="elementor-heading-title elementor-size-default">Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens</h1>
Text string	Tverrfaglig Intervensjonsmodell ved utfordrende atferd ved Demens
Size	large

Path	.elementor-icon-box-description
Snippet	<p class="elementor-icon-box-description"> TID er spesielt utviklet for å utrede, tolke og behandle nevropsykiatriske symptomer ved demens og andre komplekse psykiske lidelser.</p>
Text string	TID er spesielt utviklet for å utrede, tolke og behandle nevropsykiatriske symptomer ved demens og andre komplekse psykiske lidelser.
Size	regular

Path	.elementor-element-746a8ae > h2
Snippet	<h2 class="elementor-heading-title elementor-size-default">Kursholder?</h2>
Text string	Kursholder?
Size	large
Path	.elementor-element-4891e29
Snippet	<div class="elementor-element elementor-element-4891e29 elementor-widget elementor-widget-text-editor" data-id="4891e29" data-element_type="widget" data-widget_type="text-editor.default"> Logg inn eller opprett din bruker og få tilgang til kursmateriell m.m.</div>
Text string	Logg inn eller opprett din bruker og få tilgang til kursmateriell m.m.
Size	regular
Path	a[href\$="registrer"] > .elementor-button-content-wrapper > .elementor-button-text
Snippet	Opprett bruker
Text string	OPPRETT BRUKER
Size	regular
Path	a[href\$="login"] > .elementor-button-content-wrapper > .elementor-button-text
Snippet	Logg inn
Text string	LOGG INN
Size	regular
Path	.elementor-element-de8123a > h2
Snippet	<h2 class="elementor-heading-title elementor-size-default">Problemer med å komme inn?</h2>
Text string	Problemer med å komme inn?
Size	large
Path	.elementor-element-8977101 > p:nth-child(1)
Snippet	Mange institusjoner bruker såkalt «whitelisting» for å beskytte mot trusler på nett. Dette betyr at kun tillatte domener er tilgjengelige fra nettverket.
Text string	Mange institusjoner bruker såkalt «whitelisting» for å beskytte mot trusler på nett. Dette betyr at kun tillatte domener er tilgjengelige fra nettverket.
Size	regular
Path	p:nth-child(2)
Snippet	Hvis du har problemer med å få tilgang til tidmodell.org fra ditt nettverk, kan du be IT-avdelingen om å «whiteliste» nettstedet.
Text string	Hvis du har problemer med å få tilgang til tidmodell.org fra ditt nettverk, kan du be IT-avdelingen om å «whiteliste» nettstedet.
Size	regular
Path	strong

Snippet	Vi har laget en standard e-post som du kan bruke som mal for denne forespørselen:
Text string	Vi har laget en standard e-post som du kan bruke som mal for denne forespørselen:
Size	regular

Path	.elementor-element-8d97d7e > .elementor-button.elementor-button-link.elementor-size-md > .elementor-button-content-wrapper > .elementor-button-text
Snippet	Kopier standard e-post
Text string	KOPIER STANDARD E-POST
Size	regular

Orientation: Web content must not be locked to a particular screen orientation - [WCAG 1.3.4](#)  0

New for WCAG 2.1

No matching instances

Reflow: Content must be visible without having to scroll in two dimensions - [WCAG 1.4.10](#)  0 New
for WCAG 2.1

No matching instances

Text spacing: Users must be able to adjust text spacing with no loss of content or functionality - [WCAG 1.4.12](#)  1 New for WCAG 2.1

Hover / focus content: Content that appears on focus or hover must be dismissible, hoverable, and persistent - [WCAG 1.4.13](#)  0 New for WCAG 2.1

No matching instances

Audio / video 2

Audio-only equivalent: Pre-recorded audio-only content must be accompanied by an equivalent text alternative - [WCAG 1.2.1](#)  0

No matching instances

Video-only equivalent: Pre-recorded video-only content must be accompanied by an equivalent text or audio alternative - [WCAG 1.2.1](#)  0

No matching instances

Multimedia 5

Captions: Pre-recorded multimedia content must have captions - [WCAG 1.2.2](#)  0

No matching instances

No obstruction: Captions must not obscure or obstruct relevant information in the video - [WCAG 1.2.2](#)  0

No matching instances

Audio description: Pre-recorded video with audio must have an audio description - [WCAG 1.2.3](#), [WCAG 1.2.5](#)  0

No matching instances

Synchronization: An audio description must be synchronized with the video content - [WCAG 1.2.5](#)  0

No matching instances

No conflict: An audio description must not conflict with audible information in the sound track - [WCAG 1.2.5](#)  0

No matching instances

Live multimedia 1

Captions: Captions must be provided for live (streaming) video with audio - [WCAG 1.2.4](#)  0

No matching instances

Sequence 3

CSS positioning: Meaningful content positioned on the page using CSS must retain its meaning when CSS is disabled - [WCAG 1.3.2](#)  0

No matching instances

Layout tables: The content in an HTML layout table must make sense when the table is linearized - [WCAG 1.3.2](#)  0

No matching instances

Columns: Content presented in multi-column format must support a correct reading sequence - [WCAG 1.3.1](#), [WCAG 1.3.2](#)  0

No matching instances

Semantics 8

CSS content: Meaningful content must not be implemented using only CSS **:before** or **:after** - [WCAG 1.3.1](#)  1

Table semantics: A **<table>** element must be coded correctly as a *data* table or a *layout* table - [WCAG 1.3.1](#)  0

No matching instances

Table headers: Coded headers must be used correctly - [WCAG 1.3.1](#)  0

No matching instances

Headers attribute: The **headers** attribute of a **<td>** element must reference the correct **<th>** element(s) - [WCAG 1.3.1](#)  0

No matching instances

Lists: Lists must be contained within semantically correct containers - [WCAG 1.3.1](#)  0

No matching instances

Emphasis: Words and phrases that are visually emphasized must be contained within semantically correct containers - [WCAG 1.3.1](#)  0

No matching instances

Quotes: The **<blockquote>** element must not be used to style non-quote text - [WCAG 1.3.1](#)  0

No matching instances

Letter spacing: Spacing characters must not be used to increase the space between letters in a word - [WCAG 1.3.1](#)  0

No matching instances

Pointer / motion 5

Pointer gestures: Functions must be operable without requiring multipoint or path-based gestures - [WCAG 2.5.1](#)  0 New for WCAG 2.1

No matching instances

Pointer cancellation: Users must be able to cancel functions that can be operated using a single pointer - [WCAG 2.5.2](#)  0 New for WCAG 2.1

No matching instances

Motion operation: If a function can be operated through motion, it must also be operable through user interface components - [WCAG 2.5.4](#)  0 New for WCAG 2.1

No matching instances

Dragging movements: The action of dragging cannot be the only means available to perform an action, with exceptions on where dragging is essential to the functionality, or the dragging mechanism is not built by the web author (e.g., native browser functionality unmodified by the author) - [WCAG 2.5.7](#)  0 New for WCAG 2.2

No matching instances

Target size: Touch targets must have sufficient size and spacing to be easily activated without accidentally activating an adjacent target - [WCAG 2.5.8](#)  0 New for WCAG 2.2

No matching instances

Contrast 3

ykehus,%20benytter%20seg%20av%20metoder%20som%20%22blacklisting%22%20og%20%22whitelisting%22%20for%20å%20opprettholde%20et%20sikkert%20nettverk.%20I%20vårt%20tilfelle,%20ser%20det%20ut%20til%20at%20vi%20bruker%20en%20%22whitelisting%22-metode,%20som%20betyr%20at%20kun%20spesifikt%20tillatte%20domener%20er%20tilgjengelige.%0A%0AMed%20dette%20i%20mente,%20vil%20jeg%20be%20om%20at%20tidmodell.org%20bli%20lagt%20til%20vår%20whitelist,%20slik%20at%20jeg%20og%20mine%20kolleger%20kan%20få%20tilgang%20til%20denne%20ressursen%20fra%20sykehusnettverket.%0A%0AHvis%20dere%20har%20spørsmål%20eller%20trenger%20mer%20informasjon%20om%20nettstedet,%20ta%20kontakt%20med%20vår%20partner%20som%20står%20for%20leveransen%20av%20nettsiden%20og%20den%20tekniske%20plattformen,%20på%20e-postadressen%20support@vangeplotz.no%0A%0AVennligst%20gi%20beskjed%20om%20det%20er%20nødvendig%20med%20ytterligere%20informasjon%20for%20å%20behandle%20denne%20forespørselen.%0A%0ATakk%20for%20din%20oppmerksomhet%20rundt%20dette.%0A%0AMed%20vennlig%20hilsen,%20%0A%0A%5BDitt%20navn%5D" style="text-decoration: underline;"/>

Accessible name

Kopier standard e-post

Element

link

Path

.elementor-element-ea1593c > p > a

Snippet

Personvernerklæring

Accessible name

Personvernerklæring

Element

link

Path

.elementor-element-d019fcc > p > a

Snippet

Informasjonskapsler

Accessible name

Informasjonskapsler

Element

link

Path

.elementor-element-e046cfa > p > a

Snippet

Om nettstedet

Accessible name

Om nettstedet

Element

link

State changes: Any visual information that indicates a component's state must have sufficient contrast - [WCAG 1.4.11](#) ✓ 14 New for WCAG 2.1

Path

.skip-link

Snippet

Skip to content

Accessible name

Skip to content

Element

link

Path

.elementor-sticky--active > .elementor-element-6faa4a4e.e-child[data-id="6faa4a4e"] > .elementor-element-39a217d6.elementor-widget-theme-site-logo.elementor-widget-image > a[href\$="tidmodell.no"]

Snippet

Accessible name

tid-logo

Element	link
Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538833030768225"] > .menu-item-home.current-menu-item.page_item > .elementor-item-active[aria-current="page"][href\$="tidmodell.no/"]
Snippet	Hjem
Accessible name	Hjem
Element	link

Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538833030768225"] > .menu-item-446.menu-item-has-children > .has-submenu[aria-controls="sm-17538833030768225-2"][href\$="studien/"]
Snippet	Forskning om TID<i class="fas fa-caret-down"></i>
Accessible name	Forskning om TID
Element	link

Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538833030768225"] > .menu-item-445.menu-item-has-children > .has-submenu[aria-controls="sm-17538833030768225-4"][href\$="modellen/"]
Snippet	Modellen<i class="fas fa-caret-down"></i>
Accessible name	Modellen
Element	link

Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538833030768225"] > .menu-item-444.menu-item-has-children > .has-submenu[aria-controls="sm-17538833030768225-6"][aria-haspopup="true"]
Snippet	Oppl�ring og kurs<i class="fas fa-caret-down"></i>
Accessible name	Oppl�ring og kurs
Element	link

Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538833030768225"] > .menu-item-465 > .elementor-item[href\$="om-oss/"]
Snippet	Om oss

Accessible name	Om oss
Element	link
Path	.elementor-sticky--active > .elementor-element-98b803f.e-child[data-id="98b803f"] > .elementor-element-64b9d165.elementor-nav-menu--stretch.elementor-nav-menu__align-end > .elementor-nav-menu--main.elementor-nav-menu--layout-horizontal.e--pointer-underline > .elementor-nav-menu[data-smartmenus-id="17538833030768225"] > .menu-item-1157 > .elementor-item
Snippet	TIME (English Version)
Accessible name	TIME (English Version)
Element	link
Path	a[href\$="registrer"]
Snippet	
Accessible name	Opprett bruker
Element	link
Path	a[href\$="login"]
Snippet	
Accessible name	Logg inn
Element	link
Path	.elementor-element-8d97d7e > .elementor-button.elementor-button-link.elementor-size-md
Snippet	
Accessible name	Kopier standard e-post
Element	link
Path	.elementor-element-ea1593c > p > a

Snippet	Personvernerklæring
Accessible name	Personvernerklæring
Element	link
Path	.elementor-element-d019fcc > p > a
Snippet	Informasjonskapsler
Accessible name	Informasjonskapsler
Element	link
Path	.elementor-element-e046cfa > p > a
Snippet	Om nettstedet
Accessible name	Om nettstedet
Element	link

Graphics: Graphics must have sufficient contrast - WCAG 1.4.11 ✓1 New for WCAG 2.1

Path	.elementor-sticky--active > .elementor-element-6faa4a4e.e-child[data-id="6faa4a4e"] > .elementor-element-39a217d6.elementor-widget-theme-site-logo.elementor-widget-image > a[href\$="tidmodell.no"] > img
Snippet	
Image type	
Accessible name	tid-logo

Cognitive ✓2

Redundant entry: Do not require people to re-enter information they have already provided via other means – e.g., as part of a previous step in the same form - WCAG 3.3.7 ✓0 New for WCAG 2.2

No matching instances

Authentication: People with cognitive issues relating to memory, reading (for example, dyslexia), numbers (for example, dyscalculia), or perception-processing limitations will be able to authenticate irrespective of the level of their cognitive abilities - WCAG 3.3.8 ✓0 New for WCAG 2.2

No matching instances

FastPass results

Scan details

 <https://tidmod.local/kurs-og-konferanser/kursholderkurs/kurs-bilder/>

 2025-07-29 3:16 PM UTC

Summary



Automated checks

Automated checks were not run.

Tab stops

Failed instances  0

> Incomplete checks  0

✓ Passed checks  5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that "trap" input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.

FastPass results

Scan details

 <https://tidmod.local/login/> 2025-07-29 3:18 PM UTC

Summary



Automated checks

Failed instances  0

> Incomplete checks  0

✓ Passed checks  23

aria-allowed-attr: Ensure an element's role supports its ARIA attributes([WCAG 4.1.2](#))

aria-allowed-role: Ensure role attribute has an appropriate value for the element([WCAG 1.3.1](#), [WCAG 4.1.2](#)) Best Practice

aria-conditional-attr: Ensure ARIA attributes are used as described in the specification of the element's role([WCAG 4.1.2](#))

aria-hidden-body: Ensure aria-hidden="true" is not present on the document body.([WCAG 1.3.1](#), [WCAG 4.1.2](#))

aria-hidden-focus: Ensure aria-hidden elements are not focusable nor contain focusable elements([WCAG 4.1.2](#))

aria-prohibited-attr: Ensure ARIA attributes are not prohibited for an element's role([WCAG 4.1.2](#))

aria-valid-attr-value: Ensure all ARIA attributes have valid values([WCAG 4.1.2](#))

aria-valid-attr: Ensure attributes that begin with aria- are valid ARIA attributes([WCAG 4.1.2](#))

avoid-inline-spacing: Ensure that text spacing set through style attributes can be adjusted with custom stylesheets([WCAG 1.4.12](#)) New for WCAG 2.1

bypass: Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content([WCAG 2.4.1](#))

color-contrast: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds([WCAG 1.4.3](#))

document-title: Ensure each HTML document contains a non-empty <title> element([WCAG 2.4.2](#))

duplicate-id-aria: Ensure every id attribute value used in ARIA and in labels is unique([WCAG 4.1.2](#))

html-has-lang: Ensure every HTML document has a lang attribute([WCAG 3.1.1](#))

html-lang-valid: Ensure the lang attribute of the <html> element has a valid value([WCAG 3.1.1](#))

image-alt: Ensure elements have alternative text or a role of none or presentation([WCAG 1.1.1](#))

input-button-name: Ensure input buttons have discernible text([WCAG 4.1.2](#))

label: Ensure every form element has a label([WCAG 4.1.2](#))

link-name: Ensure links have discernible text([WCAG 2.4.4](#), [WCAG 4.1.2](#))

list: Ensure that lists are structured correctly([WCAG 1.3.1](#))

listitem: Ensure elements are used semantically([WCAG 1.3.1](#))

meta-viewport: Ensure <meta name="viewport"> does not disable text scaling and zooming([WCAG 1.4.4](#))

nested-interactive: Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies([WCAG 4.1.2](#))

Tab stops

Failed instances  0

> Incomplete checks  0

✓ Passed checks  5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that "trap" input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.

FastPass results

Scan details

 <https://tidmod.local/om-oss/> 2025-07-29 3:19 PM UTC

Summary



Automated checks

Failed instances  0

> Incomplete checks  0

✓ Passed checks  21

aria-allowed-attr: Ensure an element's role supports its ARIA attributes([WCAG 4.1.2](#))

aria-allowed-role: Ensure role attribute has an appropriate value for the element([WCAG 1.3.1](#), [WCAG 4.1.2](#)) Best Practice

aria-conditional-attr: Ensure ARIA attributes are used as described in the specification of the element's role([WCAG 4.1.2](#))

aria-hidden-body: Ensure aria-hidden="true" is not present on the document body.([WCAG 1.3.1](#), [WCAG 4.1.2](#))

aria-hidden-focus: Ensure aria-hidden elements are not focusable nor contain focusable elements([WCAG 4.1.2](#))

aria-prohibited-attr: Ensure ARIA attributes are not prohibited for an element's role([WCAG 4.1.2](#))

aria-valid-attr-value: Ensure all ARIA attributes have valid values([WCAG 4.1.2](#))

aria-valid-attr: Ensure attributes that begin with aria- are valid ARIA attributes([WCAG 4.1.2](#))

avoid-inline-spacing: Ensure that text spacing set through style attributes can be adjusted with custom stylesheets([WCAG 1.4.12](#)) New for WCAG 2.1

bypass: Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content([WCAG 2.4.1](#))

color-contrast: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds([WCAG 1.4.3](#))

document-title: Ensure each HTML document contains a non-empty <title> element([WCAG 2.4.2](#))

duplicate-id-aria: Ensure every id attribute value used in ARIA and in labels is unique([WCAG 4.1.2](#))

html-has-lang: Ensure every HTML document has a lang attribute([WCAG 3.1.1](#))

html-lang-valid: Ensure the lang attribute of the <html> element has a valid value([WCAG 3.1.1](#))

image-alt: Ensure elements have alternative text or a role of none or presentation([WCAG 1.1.1](#))

link-name: Ensure links have discernible text([WCAG 2.4.4](#), [WCAG 4.1.2](#))

list: Ensure that lists are structured correctly([WCAG 1.3.1](#))

listitem: Ensure elements are used semantically([WCAG 1.3.1](#))

meta-viewport: Ensure <meta name="viewport"> does not disable text scaling and zooming([WCAG 1.4.4](#))

nested-interactive: Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies([WCAG 4.1.2](#))

Tab stops

Failed instances  0

> Incomplete checks 0

✓ Passed checks 5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that "trap" input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.

FastPass results

Scan details

 <https://tidmod.local/kurs-og-konferanser/> 2025-07-29 3:12 PM UTC

Summary



Automated checks

Failed instances  0

> Incomplete checks  0

✓ Passed checks  22

aria-allowed-attr: Ensure an element's role supports its ARIA attributes([WCAG 4.1.2](#))

aria-allowed-role: Ensure role attribute has an appropriate value for the element([WCAG 1.3.1](#), [WCAG 4.1.2](#)) Best Practice

aria-conditional-attr: Ensure ARIA attributes are used as described in the specification of the element's role([WCAG 4.1.2](#))

aria-hidden-body: Ensure aria-hidden="true" is not present on the document body.([WCAG 1.3.1](#), [WCAG 4.1.2](#))

aria-hidden-focus: Ensure aria-hidden elements are not focusable nor contain focusable elements([WCAG 4.1.2](#))

aria-prohibited-attr: Ensure ARIA attributes are not prohibited for an element's role([WCAG 4.1.2](#))

aria-valid-attr-value: Ensure all ARIA attributes have valid values([WCAG 4.1.2](#))

aria-valid-attr: Ensure attributes that begin with aria- are valid ARIA attributes([WCAG 4.1.2](#))

avoid-inline-spacing: Ensure that text spacing set through style attributes can be adjusted with custom stylesheets([WCAG 1.4.12](#)) New for WCAG 2.1

bypass: Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content([WCAG 2.4.1](#))

color-contrast: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds([WCAG 1.4.3](#))

document-title: Ensure each HTML document contains a non-empty <title> element([WCAG 2.4.2](#))

duplicate-id-aria: Ensure every id attribute value used in ARIA and in labels is unique([WCAG 4.1.2](#))

html-has-lang: Ensure every HTML document has a lang attribute([WCAG 3.1.1](#))

html-lang-valid: Ensure the lang attribute of the <html> element has a valid value([WCAG 3.1.1](#))

image-alt: Ensure elements have alternative text or a role of none or presentation([WCAG 1.1.1](#))

link-in-text-block: Ensure links are distinguished from surrounding text in a way that does not rely on color([WCAG 1.4.1](#))

link-name: Ensure links have discernible text([WCAG 2.4.4](#), [WCAG 4.1.2](#))

list: Ensure that lists are structured correctly([WCAG 1.3.1](#))

listitem: Ensure elements are used semantically([WCAG 1.3.1](#))

meta-viewport: Ensure <meta name="viewport"> does not disable text scaling and zooming([WCAG 1.4.4](#))

nested-interactive: Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies([WCAG 4.1.2](#))

Tab stops

Failed instances 0

> Incomplete checks 0

✓ Passed checks 5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that "trap" input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.

FastPass results

Scan details

 <https://tidmod.local/registrer/> 2025-07-29 3:24 PM UTC

Summary



Automated checks

Failed instances  0

> Incomplete checks  0

✓ Passed checks  24

aria-allowed-attr: Ensure an element's role supports its ARIA attributes([WCAG 4.1.2](#))

aria-allowed-role: Ensure role attribute has an appropriate value for the element([WCAG 1.3.1](#), [WCAG 4.1.2](#)) Best Practice

aria-conditional-attr: Ensure ARIA attributes are used as described in the specification of the element's role([WCAG 4.1.2](#))

aria-hidden-body: Ensure aria-hidden="true" is not present on the document body.([WCAG 1.3.1](#), [WCAG 4.1.2](#))

aria-hidden-focus: Ensure aria-hidden elements are not focusable nor contain focusable elements([WCAG 4.1.2](#))

aria-prohibited-attr: Ensure ARIA attributes are not prohibited for an element's role([WCAG 4.1.2](#))

aria-valid-attr-value: Ensure all ARIA attributes have valid values([WCAG 4.1.2](#))

aria-valid-attr: Ensure attributes that begin with aria- are valid ARIA attributes([WCAG 4.1.2](#))

autocomplete-valid: Ensure the autocomplete attribute is correct and suitable for the form field([WCAG 1.3.5](#)) New for WCAG 2.1

avoid-inline-spacing: Ensure that text spacing set through style attributes can be adjusted with custom stylesheets([WCAG 1.4.12](#)) New for WCAG 2.1

bypass: Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content([WCAG 2.4.1](#))

color-contrast: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds([WCAG 1.4.3](#))

document-title: Ensure each HTML document contains a non-empty <title> element([WCAG 2.4.2](#))

duplicate-id-aria: Ensure every id attribute value used in ARIA and in labels is unique([WCAG 4.1.2](#))

html-has-lang: Ensure every HTML document has a lang attribute([WCAG 3.1.1](#))

html-lang-valid: Ensure the lang attribute of the <html> element has a valid value([WCAG 3.1.1](#))

image-alt: Ensure elements have alternative text or a role of none or presentation([WCAG 1.1.1](#))

input-button-name: Ensure input buttons have discernible text([WCAG 4.1.2](#))

label: Ensure every form element has a label([WCAG 4.1.2](#))

link-name: Ensure links have discernible text([WCAG 2.4.4](#), [WCAG 4.1.2](#))

list: Ensure that lists are structured correctly([WCAG 1.3.1](#))

listitem: Ensure elements are used semantically([WCAG 1.3.1](#))

meta-viewport: Ensure <meta name="viewport"> does not disable text scaling and zooming([WCAG 1.4.4](#))

nested-interactive: Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies([WCAG 4.1.2](#))

Tab stops

Failed instances  0

> Incomplete checks  0

✓ Passed checks  5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that "trap" input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.

FastPass results

Scan details

 <https://tidmod.local/kurs-og-konferanser/basiskurs-tid/>

 2025-07-29 3:14 PM UTC

Summary



Automated checks

Failed instances  0

> Incomplete checks  0

✓ Passed checks  22

aria-allowed-attr: Ensure an element's role supports its ARIA attributes([WCAG 4.1.2](#))

aria-allowed-role: Ensure role attribute has an appropriate value for the element([WCAG 1.3.1](#), [WCAG 4.1.2](#)) Best Practice

aria-conditional-attr: Ensure ARIA attributes are used as described in the specification of the element's role([WCAG 4.1.2](#))

aria-hidden-body: Ensure aria-hidden="true" is not present on the document body.([WCAG 1.3.1](#), [WCAG 4.1.2](#))

aria-hidden-focus: Ensure aria-hidden elements are not focusable nor contain focusable elements([WCAG 4.1.2](#))

aria-prohibited-attr: Ensure ARIA attributes are not prohibited for an element's role([WCAG 4.1.2](#))

aria-valid-attr-value: Ensure all ARIA attributes have valid values([WCAG 4.1.2](#))

aria-valid-attr: Ensure attributes that begin with aria- are valid ARIA attributes([WCAG 4.1.2](#))

avoid-inline-spacing: Ensure that text spacing set through style attributes can be adjusted with custom stylesheets([WCAG 1.4.12](#)) New for WCAG 2.1

bypass: Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content([WCAG 2.4.1](#))

color-contrast: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds([WCAG 1.4.3](#))

document-title: Ensure each HTML document contains a non-empty <title> element([WCAG 2.4.2](#))

duplicate-id-aria: Ensure every id attribute value used in ARIA and in labels is unique([WCAG 4.1.2](#))

html-has-lang: Ensure every HTML document has a lang attribute([WCAG 3.1.1](#))

html-lang-valid: Ensure the lang attribute of the <html> element has a valid value([WCAG 3.1.1](#))

image-alt: Ensure elements have alternative text or a role of none or presentation([WCAG 1.1.1](#))

link-in-text-block: Ensure links are distinguished from surrounding text in a way that does not rely on color([WCAG 1.4.1](#))

link-name: Ensure links have discernible text([WCAG 2.4.4](#), [WCAG 4.1.2](#))

list: Ensure that lists are structured correctly([WCAG 1.3.1](#))

listitem: Ensure elements are used semantically([WCAG 1.3.1](#))

meta-viewport: Ensure <meta name="viewport"> does not disable text scaling and zooming([WCAG 1.4.4](#))

nested-interactive: Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies([WCAG 4.1.2](#))

Tab stops

Failed instances 0

> Incomplete checks 0

✓ Passed checks 5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that "trap" input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.

FastPass results

Scan details

 <https://tidmod.local/>

 2025-07-29 3:10 PM UTC

Summary



Automated checks

Failed instances  0

> Incomplete checks  0

✓ Passed checks  21

aria-allowed-attr: Ensure an element's role supports its ARIA attributes([WCAG 4.1.2](#))

aria-allowed-role: Ensure role attribute has an appropriate value for the element([WCAG 1.3.1](#), [WCAG 4.1.2](#)) Best Practice

aria-conditional-attr: Ensure ARIA attributes are used as described in the specification of the element's role([WCAG 4.1.2](#))

aria-hidden-body: Ensure aria-hidden="true" is not present on the document body.([WCAG 1.3.1](#), [WCAG 4.1.2](#))

aria-hidden-focus: Ensure aria-hidden elements are not focusable nor contain focusable elements([WCAG 4.1.2](#))

aria-prohibited-attr: Ensure ARIA attributes are not prohibited for an element's role([WCAG 4.1.2](#))

aria-valid-attr-value: Ensure all ARIA attributes have valid values([WCAG 4.1.2](#))

aria-valid-attr: Ensure attributes that begin with aria- are valid ARIA attributes([WCAG 4.1.2](#))

avoid-inline-spacing: Ensure that text spacing set through style attributes can be adjusted with custom stylesheets([WCAG 1.4.12](#)) New for WCAG 2.1

bypass: Ensure each page has at least one mechanism for a user to bypass navigation and jump straight to the content([WCAG 2.4.1](#))

color-contrast: Ensure the contrast between foreground and background colors meets WCAG 2 AA minimum contrast ratio thresholds([WCAG 1.4.3](#))

document-title: Ensure each HTML document contains a non-empty <title> element([WCAG 2.4.2](#))

duplicate-id-aria: Ensure every id attribute value used in ARIA and in labels is unique([WCAG 4.1.2](#))

html-has-lang: Ensure every HTML document has a lang attribute([WCAG 3.1.1](#))

html-lang-valid: Ensure the lang attribute of the <html> element has a valid value([WCAG 3.1.1](#))

image-alt: Ensure elements have alternative text or a role of none or presentation([WCAG 1.1.1](#))

link-name: Ensure links have discernible text([WCAG 2.4.4](#), [WCAG 4.1.2](#))

list: Ensure that lists are structured correctly([WCAG 1.3.1](#))

listitem: Ensure elements are used semantically([WCAG 1.3.1](#))

meta-viewport: Ensure <meta name="viewport"> does not disable text scaling and zooming([WCAG 1.4.4](#))

nested-interactive: Ensure interactive controls are not nested as they are not always announced by screen readers or can cause focus problems for assistive technologies([WCAG 4.1.2](#))

Tab stops

Failed instances  0

> **Incomplete checks** 0

✓ **Passed checks** 5

Keyboard navigation: All interactive elements can be reached using the Tab and arrow keys. (Partially automated)([WCAG 2.1.1](#))

Keyboard traps: There are no interactive elements that “trap” input focus and prevent navigating away. (Partially automated)([WCAG 2.1.2](#))

Focus indicator: All interactive elements give a visible indication when they have input focus. (Manual)([WCAG 2.4.7](#))

Tab order: The tab order is consistent with the logical order that's communicated visually. (Partially automated)([WCAG 2.4.3](#))

Input focus: Input focus does not move unexpectedly without the user initiating it. (Manual)([WCAG 2.3.1](#))

This automated checks result was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 138.0.0.0. Get more information & download this tool at <http://aka.ms/AccessibilityInsights>.